## NSN 5955-00-850-6891

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-00-850-6891

| Overall Length:   |
|---|
| 1.035 inches  |
| Terminal Length:  |
| 0.238 inches  |
| Overall Width:  |
| 0.750 inches  |
| Body Length:  |
| 0.797 inches  |
| Body Width:   |
| 0.719 inches  |
| Body Thickness:   |
| 0.317 inches  |
| Overall Thickness:  |
| 0.344 inches  |
| Terminal Diameter:  |
| 0.050 inches  |
| Mode Of Oscillation:                                      |
| Fundamental   |
| Circuit Resonance:  |
| Antiresonance   |
| Load Capacitance In Picofarads:                           |
| 20.0  |
| Shunt Capacitance In Picofarads:                          |
| 6.0   |
| Specified Frequency:                                      |
| 350.000 kilohertz   |
| Holder Cover Material:                                    |
| Metal   |
| Operating Tempurature Range:                              |
| -40.0/+85.0 degrees celsius                               |
| Center To Center Distance Between Terminals:              |
| 0.486 inches  |
| Drive Level Rating:                                       |
| 1.0 milliwatts  |
| Frequency Tolerance For Operating Tempurature In Percent: |
| -0.015/+0.003   |
| Equivalent Resistance Value In Ohms:                      |
| 7000.0  |
| Style Designator:   |
| Oval body, pin terminals                                  |
| Shelf Life:   |
| N/a   |

## NSN 5955-00-850-6891

Quartz Crystal Unit - Page 2 of 2



|   |    | • • |             |          |  |
|---|----|-----|-------------|----------|--|
| ш | ın | 10  | <i>(</i> )+ | Measure: |  |
|   |    |     |             |          |  |

--

Demilitarization:

No

Fiig:

A059a0