## NSN 5955-00-884-2480



Noncrystal Controlled Oscillator - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5955-00-884-2480 **Overall Length:** 2.468 inches **Overall Height:** 1.062 inches **Overall Width:** 2.348 inches **Vibration Resistance Range In Hertz:** Not rated **Individual Section Quantity: Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** Not rated **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Identification Designator:** Smd416393-80063 **Maximum Operating Altitude Rating:** Not rated **Inclosure Type:** Open Installation Design: Mechanical **Circuit Construction Type:** Solid state Frequency Per Channel: 30.0 megahertz 1st output channel err-100 **Attenuation In Decibels: Average Power Rating Per Channel:** Not rated **Signal Voltage Rating Per Channel:** Not rated **Overall Gain:** Not rated Impedance Rating Per Channel:

**Maximum Continuous Operating Time In Hours:** 

Not rated

# NSN 5955-00-884-2480

Noncrystal Controlled Oscillator - Page 2 of 2



Solder lug bottom

### **Connection Contact Type And Quantity:**

8 solder lug external

### **External Dc Operating Voltage In Volts:**

10.3 2nd voltage err-100

#### **Test Data Document:**

80063-sca400368 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

#### **Fsc Application Data:**

Radio, except navigation, nonairborne

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

#### **Demilitarization:**

Yes - demil/mli

Fiig:

A32200