## NSN 5955-00-892-3364

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-00-892-3364

Overall Length:		
1.774 inches		
Terminal Length:		
Between 0.223 inches and 0.248 inches		
Overall Width:		
0.757 inches		
Body Length:		
1.526 inches		
Body Width:		
0.725 inches		
Body Thickness:		
0.317 inches		
Overall Thickness:		
0.352 inches		
Terminal Diameter:		
Between 0.048 inches and 0.052 inches		
Mode Of Oscillation:		
Fundamental		
Circuit Resonance:		
Antiresonance		
Load Capacitance In Picofarads:		
Between 31.5 and 32.5		
Shunt Capacitance In Picofarads:		
Between 3.3 and 4.5		
Specified Frequency:		
140.000 kilohertz		
Frequency Stability In Percent:		
-0.002/+0.002		
Controlled Reference Temp:		
75.0 degrees celsius		
Operable Tempurature Range:		
-55.0/+70.0 degrees celsius		
Holder Cover Material:		
Metal or glass		
Operating Tempurature Range:		
+70.0/+80.0 degrees celsius and -55.0/+90.0 degrees celsius		
Center To Center Distance Between Terminals:		
0.478 mils and 0.494 centimeters		
Drive Level Rating:		

Between 1.6 milliwatts and 2.4 milliwatts

**Frequency Tolerance For Operating Tempurature In Percent:** 

-0.003/+0.003 and -0.015/+0.003

## NSN 5955-00-892-3364

Quartz Crystal Unit - Page 2 of 2



<b>Equivalent Resistance</b>	Value In	Ohms:
------------------------------	----------	-------

4500.0

**Style Designator:** 

Tube body, wire leads

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

No

Fiig:

A059a0