NSN 5955-00-901-2960

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-00-901-2960

| Overall Length: |
|---|
| 1.023 inches |
| Terminal Length: |
| Between 0.223 inches and 0.248 inches |
| Overall Width: |
| 0.757 inches |
| Body Length: |
| 0.775 inches |
| Body Width: |
| 0.725 inches |
| Body Thickness: |
| 0.317 inches |
| Overall Thickness: |
| 0.352 inches |
| Terminal Diameter: |
| Between 0.048 inches and 0.052 inches |
| Mode Of Oscillation: |
| Fundamental |
| Circuit Resonance: |
| Antiresonance |
| Load Capacitance In Picofarads: |
| Between 32.0 and 25.6 and 38.4 |
| Specified Frequency: |
| 15.3775 megahertz |
| Holder Cover Material: |
| Metal or glass |
| Operating Tempurature Range: |
| -0.1/+60.0 degrees celsius |
| Center To Center Distance Between Terminals: |
| 0.478 mils and 0.494 centimeters |
| Drive Level Rating: |
| Between 4.0 milliwatts and 6.0 milliwatts |
| Frequency Tolerance For Operating Tempurature In Percent: |
| -0.005/+0.005 and -0.0010/+0.0010 |
| Equivalent Resistance Value In Ohms: |
| 25.0 |
| Style Designator: |
| Tube body, wire leads |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

--

NSN 5955-00-901-2960

Quartz Crystal Unit - Page 2 of 2



Demilitarization:

No

Fiig:

A059a0