NSN 5955-00-991-1322

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-00-991-1322

Between 0.500 inches and 0.525 inches

Terminal Length:

Between 0.223 inches and 0.248 inches

Overall Width:

Between 0.408 inches and 0.428 inches

Body Width:

Between 0.394 inches and 0.401 inches

Body Thickness:

Between 0.142 inches and 0.149 inches

Overall Thickness:

Between 0.166 inches and 0.176 inches

Terminal Diameter:

Between 0.038 inches and 0.042 inches

Mode Of Oscillation:

Fundamental

Circuit Resonance:

Antiresonance

Load Capacitance In Picofarads:

Between 32.0 and 25.6 and 38.4

Specified Frequency:

11.025 megahertz

Holder Cover Material:

Metal or glass

Operating Tempurature Range:

-40.0/+85.0 degrees celsius

Center To Center Distance Between Terminals:

0.184 mils and 0.200 centimeters

Drive Level Rating:

Between 2.5 milliwatts and 2.0 milliwatts and 3.0 milliwatts

Frequency Tolerance For Operating Tempurature In Percent:

-0.002/+0.002 and -0.007/+0.007

Equivalent Resistance Value In Ohms:

22.0

Style Designator:

Tube type, 4 wire leads

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 5955-00-991-1322

Quartz Crystal Unit - Page 2 of 2



Fiig:

A059a0