NSN 5955-00-999-4844

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-00-999-4844

| View Online at https://aerobasegroup.com/nsn/5955-00-999-4844 |
|---|
| Overall Length: |
| 0.530 inches |
| Terminal Length: |
| Between 1.500 inches and 1.525 inches |
| Overall Width: |
| 0.435 inches |
| Body Width: |
| 0.402 inches |
| Body Thickness: |
| 0.150 inches |
| Overall Thickness: |
| 0.183 inches |
| Terminal Diameter: |
| Between 0.015 inches and 0.019 inches |
| Mode Of Oscillation: |
| Third overtone and fifth overtone |
| Circuit Resonance: |
| Series resonance |
| Shunt Capacitance In Picofarads: |
| 3.5 |
| Specified Frequency: |
| 27.330 megahertz |
| Holder Cover Material: |
| Metal or glass |
| Operating Tempurature Range: |
| -30.0/+55.0 degrees celsius |
| Center To Center Distance Between Terminals: |
| 0.184 mils and 0.200 centimeters |
| Drive Level Rating: |
| Between 1.6 milliwatts and 2.4 milliwatts |
| Frequency Tolerance For Operating Tempurature In Percent: |
| -0.002/+0.002 and -0.007/+0.007 |
| Equivalent Resistance Value In Ohms: |
| 40.0 |
| Style Designator: |
| Tube type, 4 wire leads |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |

Yes - demil/mli

NSN 5955-00-999-4844

Quartz Crystal Unit - Page 2 of 2

Fiig: A059a0

