## NSN 5955-01-008-5897

Quartz Crystal Unit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5955-01-008-5897

Overall Length:
0.260 inches
Terminal Length:
0.500 inches
Diameter:
Between 0.305 inches and 0.335 inches
Overall Diameter:
0.400 inches
Terminal Diameter:
Between 0.016 inches and 0.019 inches
Mode Of Oscillation:
Fifth overtone
Circuit Resonance:
Series resonance
Shunt Capacitance In Picofarads:
Between 3.7 and 5.2
Specified Frequency:
121.7083 megahertz
Holder Cover Material:
Metal
Oneseting Tempurchure Dense
Operating Tempurature Range:
-30.0/+60.0 degrees celsius
-30.0/+60.0 degrees celsius
-30.0/+60.0 degrees celsius Center To Center Distance Between Terminals:
-30.0/+60.0 degrees celsius Center To Center Distance Between Terminals: 0.200 inches
-30.0/+60.0 degrees celsius Center To Center Distance Between Terminals: 0.200 inches Drive Level Rating:
-30.0/+60.0 degrees celsius <b>Center To Center Distance Between Terminals:</b> 0.200 inches <b>Drive Level Rating:</b> 0.5 milliwatts
-30.0/+60.0 degrees celsius Center To Center Distance Between Terminals: 0.200 inches Drive Level Rating: 0.5 milliwatts Frequency Tolerance For Operating Tempurature In Percent:
-30.0/+60.0 degrees celsius Center To Center Distance Between Terminals: 0.200 inches Drive Level Rating: 0.5 milliwatts Frequency Tolerance For Operating Tempurature In Percent: -0.0005/+0.0005
-30.0/+60.0 degrees celsius Center To Center Distance Between Terminals: 0.200 inches Drive Level Rating: 0.5 milliwatts Frequency Tolerance For Operating Tempurature In Percent: -0.0005/+0.0005 Equivalent Resistance Value In Ohms:
-30.0/+60.0 degrees celsius Center To Center Distance Between Terminals: 0.200 inches Drive Level Rating: 0.5 milliwatts Frequency Tolerance For Operating Tempurature In Percent: -0.0005/+0.0005 Equivalent Resistance Value In Ohms: 50.0
-30.0/+60.0 degrees celsius Center To Center Distance Between Terminals: 0.200 inches Drive Level Rating: 0.5 milliwatts Frequency Tolerance For Operating Tempurature In Percent: -0.0005/+0.0005 Equivalent Resistance Value In Ohms: 50.0 Style Designator:
-30.0/+60.0 degrees celsius Center To Center Distance Between Terminals: 0.200 inches Drive Level Rating: 0.5 milliwatts Frequency Tolerance For Operating Tempurature In Percent: -0.0005/+0.0005 Equivalent Resistance Value In Ohms: 50.0 Style Designator: Hat type, 3 wire leads
-30.0/+60.0 degrees celsius Center To Center Distance Between Terminals: 0.200 inches Drive Level Rating: 0.5 milliwatts Frequency Tolerance For Operating Tempurature In Percent: -0.0005/+0.0005 Equivalent Resistance Value In Ohms: 50.0 Style Designator: Hat type, 3 wire leads Shelf Life:
-30.0/+60.0 degrees celsius Center To Center Distance Between Terminals: 0.200 inches Drive Level Rating: 0.5 milliwatts Frequency Tolerance For Operating Tempurature In Percent: -0.0005/+0.0005 Equivalent Resistance Value In Ohms: 50.0 Style Designator: Hat type, 3 wire leads Shelf Life: N/a
-30.0/+60.0 degrees celsius Center To Center Distance Between Terminals: 0.200 inches Drive Level Rating: 0.5 milliwatts Frequency Tolerance For Operating Tempurature In Percent: -0.0005/+0.0005 Equivalent Resistance Value In Ohms: 50.0 Style Designator: Hat type, 3 wire leads Shelf Life: N/a
-30.0/+60.0 degrees celsius Center To Center Distance Between Terminals: 0.200 inches Drive Level Rating: 0.5 milliwatts Frequency Tolerance For Operating Tempurature In Percent: -0.0005/+0.0005 Equivalent Resistance Value In Ohms: 50.0 Style Designator: Hat type, 3 wire leads Shelf Life: N/a Unit Of Measure:
-30.0/+60.0 degrees celsius Center To Center Distance Between Terminals: 0.200 inches Drive Level Rating: 0.5 milliwatts Frequency Tolerance For Operating Tempurature In Percent: -0.0005/+0.0005 Equivalent Resistance Value In Ohms: 50.0 Style Designator: Hat type, 3 wire leads Shelf Life: N/a Unit Of Measure:  Demilitarization:
-30.0/+60.0 degrees celsius Center To Center Distance Between Terminals: 0.200 inches Drive Level Rating: 0.5 milliwatts Frequency Tolerance For Operating Tempurature In Percent: -0.0005/+0.0005 Equivalent Resistance Value In Ohms: 50.0 Style Designator: Hat type, 3 wire leads Shelf Life: N/a Unit Of Measure:  Demilitarization: Yes - demil/mli