# NSN 5955-01-011-8018

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-011-8018

## **Overall Length:**

1.774 inches

### **Terminal Length:**

Between 0.223 inches and 0.248 inches

### **Overall Width:**

0.757 inches

#### **Body Length:**

1.526 inches

#### **Body Width:**

0.725 inches

#### Body Thickness:

0.317 inches

#### **Overall Thickness:**

0.352 inches

#### Terminal Diameter:

Between 0.048 inches and 0.052 inches

#### Mode Of Oscillation:

Fundamental

#### **Circuit Resonance:**

Antiresonance

### Load Capacitance In Picofarads:

Between 31.5 and 32.5

### Shunt Capacitance In Picofarads:

4.5

## Specified Frequency:

136.000 kilohertz

## Frequency Tolerance At Reference Tempurature In Percent:

-0.003/+0.003

## Frequency Stability In Percent:

-0.002/+0.002

## Controlled Reference Temp:

75.0 degrees celsius

## **Operable Tempurature Range:**

-55.0/+70.0 degrees celsius

## Holder Cover Material:

Metal

## **Operating Tempurature Range:**

+70.0/+80.0 degrees celsius

# Center To Center Distance Between Terminals:

 $0.478\ \mbox{mils}$  and  $0.494\ \mbox{centimeters}$ 

## **Drive Level Rating:**

Between 1.6 milliwatts and 2.4 milliwatts

# NSN 5955-01-011-8018

Quartz Crystal Unit - Page 2 of 2



Frequency Tolerance For Operating Tempurature In Percent:

-0.003/+0.003

## Equivalent Resistance Value In Ohms:

4500.0

Style Designator:

Oval body, pin terminals

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A059a0