Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-018-1090

Overall Length:
5.000 inches
Overall Height:
1.240 inches
Overall Width:
1.400 inches
Vibration Resistance Range In Hertz:
Not rated
Shock Resistance Rating In Gravitational Units:
Not rated
Operating Tempurature Range:
-20.0/+65.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Identification Designator:
725-000-001-28687
Maximum Operating Altitude Rating:
Not rated
Inclosure Type:
Encased
Operating Control Method:
Automatic
Installation Design:
Mechanical
Circuit Construction Type:
Solid state
Frequency Per Channel:
5.5 gigahertz output channel err-100
Frequency Adjustment Type:
Continuous
Attenuation In Decibels:
Not rated
Average Power Rating Per Channel:
10.0 milliwatts output
Signal Voltage Rating Per Channel:
15.000 volts input
Overall Gain:
Not rated
Impedance Rating Per Channel:
Not rated

NSN 5955-01-018-1090

Crystal Controlled Oscillator - Page 2 of 2



Maximum Continuous Operating Time In Hours: Not rated **Connection Type And Location:** Receptacle, coaxial left side and solder lug left side **Connection Contact Type And Quantity:** 1 receptacle, coaxial external and 2 solder lug external **Special Features:** Crystal controled Shelf Life: N/a Unit Of Measure: ---Demilitarization: Yes - demil/mli Fiig: A32200