

View Online at https://aerobasegroup.com/nsn/5955-01-023-7892

Overall Length:
4.500 inches
Overall Height:
2.000 inches
Overall Width:
2.000 inches
Environmental Protection:
Moisture proof
Operating Tempurature Range:
+0.0/+70.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Maximum Operating Altitude Rating:
5000.0 feet
Inclosure Type:
Hermetically sealed
Operating Control Method:
Automatic
Installation Design:
Mechanical
Circuit Construction Type:
Solid state
Frequency Per Channel:
5.0 megahertz 1st output channel err-100
Frequency Adjustment Type:
Continuous
Attenuation In Decibels:
Not rated
Average Power Rating Per Channel:
Not rated
Signal Voltage Rating Per Channel:
Not rated
Distortion Type And Percent:
20.0 amplitude
Maximum Continuous Operating Time In Hours:
Not rated
Connection Type And Location:
Receptacle, coaxial bottom and solder lug bottom
Connection Contact Type And Quantity:
2 receptacle, coaxial internal and 5 solder lug external
2 rooptasio, odania internarana o solder lay external

Noncrystal Controlled Oscillator - Page 2 of 2



External Dc Operating Voltage In Volts:

28.0 single voltage

Special Features:

Temperature-controlled crystal with oven sensor and rf output sensor, corrosion-resistant finish

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A32200