NSN 5955-01-030-7190

Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-030-7190 **Overall Length:** 2.250 inches **Overall Height:** 0.675 inches **Overall Width:** 2.000 inches **Environmental Protection:** Moisture proof and salt spray resistant **Vibration Resistance Range In Hertz:** +20.0/+500.0 **Vibration Resistance Amplitude:** 5.0 gravitational units **Shock Resistance Rating In Gravitational Units:** 50.0 **Operating Tempurature Range:** +0.0/+65.0 degrees celsius **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Identification Designator:** T547bf3-16681 **Inclosure Type:** Encased Installation Design: Module **Circuit Construction Type:** Solid state Frequency Per Channel: 69.3 megahertz output channel **Frequency Adjustment Type:** Continuous Signal Voltage Rating Per Channel: 100.000 millivolts output Impedance Rating Per Channel: 50.000 ohms output channel **Connection Type And Location:** Wire lead terminals bottom **Connection Contact Type And Quantity:** 3 wire lead terminals external **External Dc Operating Voltage In Volts:**

12.0 single voltage

NSN 5955-01-030-7190

Crystal Controlled Oscillator - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200