

View Online at https://aerobasegroup.com/nsn/5955-01-038-0082

Overall Length:
2.780 inches
Overall Diameter:
2.280 inches
Vibration Resistance Range In Hertz:
Not rated
Shock Resistance Rating In Gravitational Units:
200.0
Operating Tempurature Range:
+55.0/+85.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Cylindrical
Identification Designator:
20-812516-4-07397
Maximum Operating Altitude Rating:
Not rated
Inclosure Type:
Encased
Operating Control Method:
Manual
Installation Design:
Mechanical
Control Type:
Remote
Circuit Construction Type:
Solid state
Frequency Per Channel:
4.1 gigahertz operating channel and 8.2 gigahertz operating channel
Attenuation In Decibels:
Not rated
Average Power Rating Per Channel:
21.5 milliwatts output
Signal Voltage Rating Per Channel:
Not rated
Overall Gain:
Not rated
Impedance Rating Per Channel:
Not rated
Maximum Continuous Operating Time In Hours:
Not rated

Noncrystal Controlled Oscillator - Page 2 of 2



Shock Pulse Duration Time: 2.0 milliseconds **Connection Type And Location:** Receptacle, coaxial right side and solder lug rear **Connection Contact Type And Quantity:** 1 receptacle, coaxial external and 9 solder lug external External Dc Operating Voltage In Volts: -5.0 3rd voltage err-100 Shelf Life: N/a Unit Of Measure: ---Demilitarization: Yes - demil/mli Fiig: A32200