NSN 5955-01-040-5137

Noncrystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-040-5137 **Overall Length:** 90.0 millimeters **Overall Height:** 30.0 millimeters **Overall Width:** 35.0 millimeters **Vibration Resistance Range In Hertz:** Not rated **Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** -10.0/+55.0 degrees celsius **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Identification Designator:** 0-010b-51984 **Maximum Operating Altitude Rating:** Not rated **Inclosure Type:** Encased Installation Design: Module **Circuit Construction Type:** Solid state **Frequency Per Channel:** 7.913 megahertz output channel err-100 **Frequency Adjustment Type:** Continuous **Attenuation In Decibels: Average Power Rating Per Channel:** 50.0 milliwatts output Signal Voltage Rating Per Channel: Not rated **Overall Gain:** Not rated Impedance Rating Per Channel: 100.000 ohms output channel

Maximum Continuous Operating Time In Hours:

Not rated

NSN 5955-01-040-5137

Noncrystal Controlled Oscillator - Page 2 of 2



Connection Type And Location:

Receptacle, coaxial left side and wire lead terminals right side

Connection Contact Type And Quantity:

1 receptacle, coaxial external and 2 wire lead terminals external

External Dc Operating Voltage In Volts:

12.0 single voltage

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A32200