## NSN 5955-01-041-8027

Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-041-8027 **Overall Length:** 1.000 inches **Overall Height:** 1.750 inches **Overall Width:** 1.000 inches **Environmental Protection:** Shock resistant and vibration **Vibration Resistance Amplitude:** 10.0 gravitational units **Shock Resistance Rating In Gravitational Units:** 20.0 **Operating Tempurature Range:** -18.0/+85.0 degrees celsius **Average Life Measurement:** Not rated **End Application:** An/gsc24 multiplex **Basic Shape Style:** Rectangular or square **Identification Designator:** 970-3289-15-75378 **Maximum Operating Altitude Rating:** 10000.0 feet **Inclosure Type:** Hermetically sealed **Installation Design:** Module **Circuit Construction Type:** Solid state Frequency Per Channel: 8.9088 megahertz output channel **Connection Contact Type And Quantity:** 

**Signal Voltage Rating Per Channel:** 5.000 volts input and 12.000 volts input **Shock Pulse Duration Time:** 11.0 milliseconds **Connection Type And Location:** Printed circuit bottom 8 printed circuit external **External Dc Operating Voltage In Volts:** 5.0 single voltage and 12.0 single voltage

## NSN 5955-01-041-8027

Crystal Controlled Oscillator - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200