## NSN 5955-01-043-7000

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-043-7000

| Overall Length:   |
|---|
| 0.778 inches  |
| Terminal Length:  |
| Between 0.223 inches and 0.248 inches                     |
| Overall Width:  |
| 0.435 inches  |
| Body Length:  |
| 0.530 inches  |
| Body Width:   |
| 0.402 inches  |
| Body Thickness:   |
| 0.150 inches  |
| Overall Thickness:  |
| 0.183 inches  |
| Terminal Diameter:  |
| Between 0.038 inches and 0.042 inches                     |
| Mode Of Oscillation:                                      |
| Fundamental   |
| Circuit Resonance:  |
| Series resonance  |
| Shunt Capacitance In Picofarads:                          |
| 7.0   |
| Specified Frequency:                                      |
| 4483.140 kilohertz  |
| Holder Cover Material:                                    |
| Metal   |
| Operating Tempurature Range:                              |
| +0.0/+70.0 degrees celsius                                |
| Center To Center Distance Between Terminals:              |
| 0.184 mils and 0.200 centimeters                          |
| Drive Level Rating:                                       |
| Between 4.0 milliwatts and 6.0 milliwatts                 |
| Frequency Tolerance For Operating Tempurature In Percent: |
| -0.003/+0.003   |
| Equivalent Resistance Value In Ohms:                      |
| 50.0  |
| Style Designator:   |
| Oval body, pin terminals                                  |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |

--

## NSN 5955-01-043-7000

Quartz Crystal Unit - Page 2 of 2



Demilitarization:

No

Fiig:

A059a0