NSN 5955-01-056-8032

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-056-8032
Overall Length:
Between 0.220 inches and 0.265 inches
Terminal Length:
Between 0.500 inches and 0.830 inches
Diameter:
Between 0.310 inches and 0.330 inches
Overall Diameter:
Between 0.350 inches and 0.380 inches
Terminal Diameter:
Between 0.016 inches and 0.019 inches
Mode Of Oscillation:
Fifth overtone and third overtone
Circuit Resonance:
Series resonance
Shunt Capacitance In Picofarads:
Between 2.3 and 3.2
Specified Frequency:
97.777777 megahertz
Holder Cover Material:
Metal
Operating Tempurature Range:
+60.0/+70.0 degrees celsius
End Application:
Jetds type no. An/tsm-15, test set, crystal unit, quartz
Center To Center Distance Between Terminals:
0.190 mils and 0.210 centimeters
Drive Level Rating:
Between 0.16 milliwatts and 0.50 milliwatts
Frequency Tolerance For Operating Tempurature In Percent:
-0.001/+0.001 and -0.0015/+0.0015
Equivalent Resistance Value In Ohms:
55.0
Style Designator:
Hat type, 3 wire leads
Fsc Application Data:
Miscellaneous communication equipment
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

NSN 5955-01-056-8032

Quartz Crystal Unit - Page 2 of 2



Fiig:

A059a0