# NSN 5955-01-056-8041

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-056-8041

#### **Overall Length:**

Between 0.220 inches and 0.265 inches

## Terminal Length:

Between 0.500 inches and 0.830 inches

### Diameter:

Between 0.310 inches and 0.330 inches

#### **Overall Diameter:**

Between 0.350 inches and 0.380 inches

#### **Terminal Diameter:**

Between 0.016 inches and 0.019 inches

### Mode Of Oscillation:

Fifth overtone and third overtone

#### **Circuit Resonance:**

Series resonance

### Shunt Capacitance In Picofarads:

# Between 2.3 and 3.2

Specified Frequency:

#### 98.989899 megahertz

### Frequency Tolerance At Reference Tempurature In Percent:

-0.00075/+0.00075

# Controlled Reference Temp:

65.0 degrees celsius

# **Operable Tempurature Range:**

-30.0/+80.0 degrees celsius

# Holder Cover Material:

Metal

# **Operating Tempurature Range:**

+60.0/+70.0 degrees celsius

# Center To Center Distance Between Terminals:

0.190 mils and 0.210 centimeters

# Drive Level Rating:

500.0 microwatts

# Frequency Tolerance For Operating Tempurature In Percent:

-0.001/+0.001 and -0.0015/+0.0015

# Equivalent Resistance Value In Ohms:

55.0

## Style Designator:

Hat type, 3 wire leads

Shelf Life:

N/a

#### Unit Of Measure:

--

# NSN 5955-01-056-8041

Quartz Crystal Unit - Page 2 of 2

Demilitarization:

No

Fiig:

A059a0

