NSN 5955-01-075-4819

Noncrystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-075-4819 **Overall Length:** 2.500 inches **Overall Height:** 1.100 inches **Overall Width:** 1.620 inches **Vibration Resistance Range In Hertz:** +5.0/+55.0 **Vibration Resistance Amplitude:** 0.02 inches total excursion **Shock Resistance Rating In Gravitational Units:** 20.0 **Operating Tempurature Range:** -40.0/+75.0 degrees celsius **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Maximum Operating Altitude Rating:** 10000.0 feet **Inclosure Type:** Partially enclosed **Operating Control Method:** Automatic Installation Design: Mechanical **Circuit Construction Type:** Solid state Frequency Shift: 0.2 megahertz Frequency Per Channel: 8.3 gigahertz operating channel and 10.1 gigahertz operating channel Frequency Adjustment Type: Continuous **Variation Frequency Rating In Decibels: Average Power Rating Per Channel:** 40.0 milliwatts output **Shock Pulse Duration Time:** 11.0 milliseconds

External Dc Operating Voltage In Volts:

13.0 single voltage

NSN 5955-01-075-4819

Noncrystal Controlled Oscillator - Page 2 of 2



Special	Features:
---------	-----------

Is a gunn diode oscillator wi cavity tuning capability; also electrical tuning available for fm mode

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200