

View Online at https://aerobasegroup.com/nsn/5955-01-079-9198

Overall Length:
0.800 inches
Overall Height:
0.565 inches
Overall Width:
0.500 inches
Environmental Protection:
Moisture proof and shock resistant and vibration
Vibration Resistance Range In Hertz:
+10.0/+55.0
Vibration Resistance Amplitude:
0.06 inches total excursion
Shock Resistance Rating In Gravitational Units:
30.0
Operating Tempurature Range:
-55.0/+85.0 degrees celsius
Storage Tempurature Range:
-62.0/+125.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Identification Designator:
210-101-01-99592
Inclosure Type:
Encased
Operating Control Method:
Automatic
Installation Design:
Module
Control Type:
Remote
Circuit Construction Type:
Solid state
Frequency Per Channel:
4.0 megahertz operating channel
Shock Pulse Duration Time:
11.0 milliseconds
Connection Type And Location:
Pin bottom
Connection Contact Type And Quantity:
7 pin external



External Dc Operating Voltage In Volts:

4.75 single voltage and 5.25 single voltage

Precious Material And Location:

Pin surfaces gold

Precious Material:

Gold

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A32200