Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-087-9806

Overall Length:	
0.815 inches	
Overall Height:	
0.178 inches	
Overall Width:	
0.515 inches	
Vibration Resista	nce Range In Hertz:
+55.0/+2000.0	
Vibration Resista	nce Amplitude:
35.0 gravitational ι	units
Shock Resistance	e Rating In Gravitational Units:
1000.0	
Operating Tempu	rature Range:
+0.0/+70.0 degree	s celsius
Average Life Mea	surement:
Not rated	
End Application:	
An/fyq68	
Basic Shape Style	e:
Rectangular or squ	Jare
Inclosure Type:	
Hermetically seale	d
Installation Desig	in:
Module	
Circuit Construct	ion Type:
Solid state	
Frequency Per Ch	nannel:
24.0 megahertz or	perating channel
Shock Pulse Dura	ation Time:
0.35 milliseconds	
Connection Type	And Location:
Wire lead terminals	s bottom
Connection Conta	act Type And Quantity:
4 wire lead termina	als external
External Dc Opera	ating Voltage In Volts:
5.0 single voltage	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
Yes - demil/mli	

NSN 5955-01-087-9806

Crystal Controlled Oscillator - Page 2 of 2

Fiig: A32200

