Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-089-8958

Overall Length:
1.000 inches
Overall Height:
0.650 inches
Overall Width:
0.750 inches
Vibration Resistance Range In Hertz:
Not rated
Shock Resistance Rating In Gravitational Units:
Not rated
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Average Life Rating:
50000.0
Average Life Measurement:
Hours
Average Life Rating In Hours:
50000.0
Basic Shape Style:
Rectangular or square
Identification Designator:
804447-1-96214
Maximum Operating Altitude Rating:
Not rated
Inclosure Type:
Hermetically sealed
Installation Design:
Module
Circuit Construction Type:
Solid state
Frequency Per Channel:
20.0 megahertz operating channel
Attenuation In Decibels:
Not rated
Average Power Rating Per Channel:
70.0 milliwatts output
Signal Voltage Rating Per Channel:
10.000 volts input
Overall Gain:
Not rated
Impedance Rating Per Channel:
Not rated

Crystal Controlled Oscillator - Page 2 of 2



Maximum Continuous Operating Time In Hours: Not rated Connection Type And Location: Solder lug bottom **Connection Contact Type And Quantity:** 6 solder lug external External Dc Operating Voltage In Volts: 5.0 single voltage Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A32200