

NSN 5955-01-101-4022 Crystal Controlled Oscillator - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5955-01-101-4022 **Overall Length:** 0.890 inches **Overall Height:** 0.380 inches **Overall Width:** 0.530 inches **Environmental Protection:** Salt spray resistant **Vibration Resistance Range In Hertz:** +10.0/+2000.0 **Operating Tempurature Range:** -40.0/+85.0 degrees celsius **Storage Tempurature Range:** -65.0/+125.0 degrees celsius **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Identification Designator:** 930743-1c-82577 Inclosure Type: Hermetically sealed Installation Design: Module **Circuit Construction Type:** Solid state **Frequency Per Channel:** 29.972 megahertz output channel **Connection Type And Location:** Printed circuit bottom

Connection Contact Type And Quantity:

4 printed circuit external

External Dc Operating Voltage In Volts:

5.0 single voltage

Precious Material And Location:

Terminals gold

Precious Material And Weight:

0.020 gold grains, troy

Precious Material:

Gold

Fsc Application Data:

Radio and television communication equipment, airborne

NSN 5955-01-101-4022

Crystal Controlled Oscillator - Page 2 of 2



| | Life: |
|--|-------|
| | |
| | |

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200