# NSN 5955-01-102-5687

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-102-5687

## **Overall Length:**

0.265 inches

**Terminal Length:** 

0.600 inches

# Diameter:

0.326 inches

### **Overall Diameter:**

0.420 inches

#### **Terminal Diameter:**

Between 0.016 inches and 0.020 inches

#### Mode Of Oscillation:

Fifth overtone

**Circuit Resonance:** 

#### Series resonance

Shunt Capacitance In Picofarads:

7.0

#### **Specified Frequency:**

114.9375 megahertz

### Holder Cover Material:

Metal

#### **Operating Tempurature Range:**

-55.0/+105.0 degrees celsius

### **Center To Center Distance Between Terminals:**

0.192 mils and 0.208 centimeters

#### **Drive Level Rating:**

Between 1.6 milliwatts and 2.4 milliwatts

#### Frequency Tolerance For Operating Tempurature In Percent:

-0.0025/+0.0025

Equivalent Resistance Value In Ohms:

60.0

#### Style Designator:

Hat type, 3 wire leads

# Test Data Document:

81349-mil-c-3098 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

### **Specification Data:**

81349-mil-c-3098/104 government specification

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

# NSN 5955-01-102-5687

Quartz Crystal Unit - Page 2 of 2

Fiig: A059a0

