Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-120-5239

Inclosure Material:	
Ceramic or metal	
Overall Length:	
0.800 inches	
Overall Height:	
0.350 inches	
Overall Width:	
0.500 inches	
Environmental Protection:	
Vibration and shock resistant	
Operating Tempurature Range:	
-55.0/+125.0 degrees celsius	
Storage Tempurature Range:	
-65.0/+150.0 degrees celsius	
Average Life Measurement:	
Not rated	
End Application:	
Airborne test set model 737	
Basic Shape Style:	
Rectangular or square	
Inclosure Type:	
Hermetically sealed	
Installation Design:	
Module	
Circuit Construction Type:	
Solid state	
Frequency Per Channel:	
20.0 megahertz output channel	
Average Power Rating Per Channel:	
40.0 milliwatts output	
Connection Type And Location:	
Printed circuit bottom	
Connection Contact Type And Quantity:	
14 printed circuit external	
External Dc Operating Voltage In Volts:	
5.0 single voltage	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
Yes - demil/mli	

NSN 5955-01-120-5239

Crystal Controlled Oscillator - Page 2 of 2

Fiig: A32200

