NSN 5955-01-124-9718

Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-124-9718 **Overall Length:** 0.780 inches **Overall Height:** 0.350 inches **Overall Width:** 0.490 inches **Environmental Protection:** Shock resistant and vibration **Vibration Resistance Range In Hertz:** Not rated **Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** +0.0/+50.0 degrees celsius **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Identification Designator:** L14c-21022 **Maximum Operating Altitude Rating:** Not rated **Inclosure Type:** Encased Installation Design: Module **Circuit Construction Type:** Solid state Frequency Per Channel: 1.0 megahertz output channel **Attenuation In Decibels: Average Power Rating Per Channel:** Not rated **Signal Voltage Rating Per Channel:** Not rated **Overall Gain:** Not rated Impedance Rating Per Channel: 200.000 ohms input channel err-100

Maximum Continuous Operating Time In Hours:

Not rated

NSN 5955-01-124-9718

Crystal Controlled Oscillator - Page 2 of 2



Printed circuit bottom

Connection Contact Type And Quantity:

14 printed circuit external

External Dc Operating Voltage In Volts:

5.0 single voltage

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200