

NSN 5955-01-126-7419 Noncrystal Controlled Oscillator - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5955-01-126-7419 **Overall Length:** 4.300 inches **Overall Height:** 3.500 inches **Overall Width:** 4.000 inches Vibration Resistance Range In Hertz: +4.0/+33.0 **Vibration Resistance Amplitude:** 0.100 inches total excursion **Shock Resistance Rating In Gravitational Units:** 50.0 **Operating Tempurature Range:** -28.0/+85.0 degrees celsius **Average Life Rating:** 10000.0 **Average Life Measurement:** Hours **Average Life Rating In Hours:** 10000.0 **Basic Shape Style:** Rectangular or square **Identification Designator:** 2622969-28527 **Maximum Operating Altitude Rating:** Not rated

**Operating Control Method:** 

Automatic

Installation Design:

Rack

**Circuit Construction Type:** 

Solid state

**Attenuation In Decibels:** 

3.0

**Impedance Rating Per Channel:** 

10.000 kilohms operating channel

**Maximum Continuous Operating Time In Hours:** 

50000.0

**Shock Pulse Duration Time:** 

11.0 milliseconds

**Connection Type And Location:** 

Integral cable w/coaxial plug left side and integral cable w/coaxial plug right side and integral cable w/power plug bottom

## NSN 5955-01-126-7419

Noncrystal Controlled Oscillator - Page 2 of 2



## **Connection Contact Type And Quantity:**

5 integral cable w/coaxial plug external and 1 integral cable w/power plug external

## **External Dc Operating Voltage In Volts:**

28.0 3rd voltage err-100

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200