Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-149-1245

Overall Length:
0.890 inches
Overall Height:
0.380 inches
Overall Width:
0.530 inches
Environmental Protection:
Shock resistant and vibration
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Storage Tempurature Range:
-65.0/+125.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Identification Designator:
Mcm360b-900/3600.0hz-51774
Inclosure Type:
Hermetically sealed
Installation Design:
Module
Circuit Construction Type:
Solid state
Frequency Per Channel:
900.0 hertz output channel and 3600.0 hertz output channel
Signal Voltage Rating Per Channel:
2.400 volts output and 5.500 volts output
Overall Gain:
30.0 milliamperes
Connection Type And Location:
Printed circuit bottom
Connection Contact Type And Quantity:
14 printed circuit external
External Dc Operating Voltage In Volts:
5.0 single voltage
Precious Material And Location:
External terminal surfaces gold
Precious Material:
Gold
Shelf Life:
N/c

N/a

NSN 5955-01-149-1245

Crystal Controlled Oscillator - Page 2 of 2



Unit Of Measure:

Demilitarization:

No

Fiig:

A32200