

NSN 5955-01-150-4627 Crystal Controlled Oscillator - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5955-01-150-4627 **Overall Length:** 0.780 inches **Overall Height:** 0.570 inches **Overall Width:** 0.440 inches **Environmental Protection:** Shock resistant and vibration **Vibration Resistance Range In Hertz:** Not rated **Shock Resistance Rating In Gravitational Units:** Not rated **Operating Tempurature Range:** +0.0/+50.0 degrees celsius **Average Life Measurement:** Not rated **End Application:** Jetds no. Cy-3265/g, converter, analog to digital **Basic Shape Style:** Rectangular or square **Identification Designator:** L14c-12.800mhz-21022 **Maximum Operating Altitude Rating:** Not rated **Inclosure Type:** Hermetically sealed Installation Design: Module **Circuit Construction Type:**

Solid state

Frequency Per Channel:

12.8 megahertz output channel

Attenuation In Decibels:

Not rated

Average Power Rating Per Channel:

Not rated

Signal Voltage Rating Per Channel:

0.400 volts output and 2.400 volts output

Overall Gain:

125.0 milliamperes

Impedance Rating Per Channel:

Not rated

NSN 5955-01-150-4627

Crystal Controlled Oscillator - Page 2 of 2



Maximum Continuous Operating Time In Hours:
Not rated
Connection Type And Location:
Printed circuit bottom
Connection Contact Type And Quantity:
14 printed circuit external
External Dc Operating Voltage In Volts:
5.0 single voltage
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A32200