NSN 5955-01-159-6110



Crystal Controlled Oscillator - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5955-01-159-6110 **Overall Length:** 0.887 inches **Overall Height:** 0.200 inches **Overall Width:** 0.540 inches **Environmental Protection:** Shock resistant and vibration Vibration Resistance Range In Hertz: +1.0/+10.0 **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Average Life Measurement:** Not rated **Basic Shape Style:** Rectangular or square **Identification Designator:** M55310/16b31a10.25mhz **Inclosure Type:** Hermetically sealed **Operating Control Method:** Automatic Installation Design: Module **Circuit Construction Type:** Solid state Frequency Per Channel: 356.0 kilohertz operating channel **Connection Type And Location:** Printed circuit bottom **Connection Contact Type And Quantity:** 14 printed circuit external **External Dc Operating Voltage In Volts:** 5.0 single voltage **Test Data Document:** 81349-mil-o-55310/16 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Shelf Life: N/a **Unit Of Measure:**

Demilitarization: Yes - demil/mli

NSN 5955-01-159-6110

Crystal Controlled Oscillator - Page 2 of 2



Fiig:

A32200