NSN 5955-01-160-7014

Quartz Crystal Unit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5955-01-160-7014

| View Online at https://aerobasegroup.com/nsn/5955-01-160-7014 |
|---|
| Overall Length: |
| 0.260 inches |
| Terminal Length: |
| 1.000 inches |
| Diameter: |
| Between 0.305 inches and 0.335 inches |
| Overall Diameter: |
| 0.370 inches |
| Terminal Diameter: |
| Between 0.016 inches and 0.019 inches |
| Mode Of Oscillation: |
| Fifth overtone |
| Circuit Resonance: |
| Series resonance |
| Shunt Capacitance In Picofarads: |
| Between 3.75 and 5.25 |
| Specified Frequency: |
| 109.1667 megahertz |
| Holder Cover Material: |
| Metal |
| Operating Tempurature Range: |
| +70.0/+80.0 degrees celsius |
| Center To Center Distance Between Terminals: |
| 0.200 inches |
| Drive Level Rating: |
| 0.5 milliwatts |
| Frequency Tolerance For Operating Tempurature In Percent: |
| -0.0002/+0.0002 |
| Equivalent Resistance Value In Ohms: |
| 60.0 |
| Style Designator: |
| Hat type, 3 wire leads |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A059a0 |