

View Online at <https://aerobasegroup.com/nsn/5955-01-163-9269>

Inclosure Material:

Aluminum

Overall Length:

3.020 inches

Overall Height:

1.250 inches

Overall Width:

2.200 inches

Vibration Resistance Range In Hertz:

+4.0/+10.0 and +11.0/+15.0 and +16.0/+25.0

Vibration Resistance Amplitude:

0.2 inches total excursion and 0.06 inches total excursion and 0.04 inches total excursion

Shock Resistance Rating In Gravitational Units:

100.0

Operating Temperature Range:

-28.0/+75.0 degrees celsius

Average Life Measurement:

Not rated

End Application:

An/srq-4; water surface, radio

Basic Shape Style:

Rectangular or square

Inclosure Type:

Encased

Operating Control Method:

Automatic

Installation Design:

Module

Circuit Construction Type:

Solid state

Frequency Per Channel:

5.0 megahertz output channel

Shock Pulse Duration Time:

10.0 milliseconds

Connection Type And Location:

Receptacle, coaxial top and solder stud top

Connection Contact Type And Quantity:

1 receptacle, coaxial external and 1 solder stud external

External Dc Operating Voltage In Volts:

28.0 single voltage

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A32200