## NSN 5955-01-177-8790

Crystal Controlled Oscillator - Page 1 of 2

AeroBase Group

View Online at https://aerobasegroup.com/nsn/5955-01-177-8790

Overa	II Le	ngth:

Between 2.930 inches and 3.010 inches

**Overall Height:** 

Between 0.710 inches and 0.790 inches

Overall Width:

Between 1.900 inches and 1.980 inches

**Environmental Protection:** 

Moisture proof and shock resistant and vibration

**Operating Tempurature Range:** 

-55.0/+85.0 degrees celsius

**Average Life Measurement:** 

Indefinite

**Basic Shape Style:** 

Rectangular or square

**Identification Designator:** 

154068p1-94117

**Inclosure Type:** 

Encased

**Operating Control Method:** 

Automatic

Installation Design:

Module

**Control Type:** 

Local

**Circuit Construction Type:** 

Solid state

Frequency Per Channel:

224.0 megahertz operating channel

**Frequency Adjustment Type:** 

Continuous

**Average Power Rating Per Channel:** 

31.6 milliwatts output

**Impedance Rating Per Channel:** 

50.000 ohms operating channel

**Connection Type And Location:** 

Receptacle, coaxial right side and printed circuit front

**Connection Contact Type And Quantity:** 

1 receptacle, coaxial external and 5 printed circuit external

**External Dc Operating Voltage In Volts:** 

14.25 single voltage and 15.75 single voltage

**Special Features:** 

Sinewave output

## NSN 5955-01-177-8790

Crystal Controlled Oscillator - Page 2 of 2



	Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200