Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-185-5954

Overall Length:
1.400 inches
Overall Height:
0.550 inches
Overall Width:
0.800 inches
Environmental Protection:
Salt spray resistant and shock resistant and vibration
Operating Tempurature Range:
-40.0/+85.0 degrees celsius
Storage Tempurature Range:
-54.0/+125.0 degrees celsius
Average Life Measurement:
Not rated
Basic Shape Style:
Rectangular or square
Maximum Operating Altitude Rating:
10000.0 feet
Inclosure Type:
Hermetically sealed
Operating Control Method:
Automatic
Installation Design:
Module
Control Type:
Remote
Circuit Construction Type:
Solid state
Frequency Per Channel:
24.0 megahertz operating channel
Connection Type And Location:
Pin bottom
Connection Contact Type And Quantity:
24 pin external
External Dc Operating Voltage In Volts:
5.0 single voltage
Test Data Document:
18876-13038355 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Shelf Life:
N/a

N/a

Unit Of Measure:

Crystal Controlled Oscillator - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A32200