NSN 5955-01-206-0537

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-206-0537

Overall Length:

Between 1.060 inches and 1.085 inches

Terminal Length:

Between 0.273 inches and 0.298 inches

Overall Width:

Between 0.745 inches and 0.750 inches

Body Width:

Between 0.755 inches and 0.775 inches

Body Thickness:

0.315 inches

Overall Thickness:

Between 0.340 inches and 0.345 inches

Terminal Diameter:

Between 0.048 inches and 0.052 inches

Mode Of Oscillation:

Edge shear

Load Capacitance In Picofarads:

34.0

Shunt Capacitance In Picofarads:

7.0

Specified Frequency:

250.000 kilohertz

Frequency Tolerance At Reference Tempurature In Percent:

-0.020/+0.020

Controlled Reference Temp:

81.0 degrees celsius

Operable Tempurature Range:

-20.0/+150.0 degrees fahrenheit

Holder Cover Material:

Metal

Operating Tempurature Range:

-22.0/+140.0 degrees fahrenheit

Center To Center Distance Between Terminals:

0.468 inches

Drive Level Rating:

2.0 milliwatts

Frequency Tolerance For Operating Tempurature In Percent:

-0.020/+0.020

Style Designator:

Oval body, pin terminals

Shelf Life:

N/a

NSN 5955-01-206-0537

Quartz Crystal Unit - Page 2 of 2



		eas	

--

Demilitarization:

Yes - demil/mli

Fiig:

A059a0