# NSN 5955-01-206-0537

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-206-0537

#### **Overall Length:**

Between 1.060 inches and 1.085 inches

### Terminal Length:

Between 0.273 inches and 0.298 inches

## Overall Width:

Between 0.745 inches and 0.750 inches

#### **Body Width:**

Between 0.755 inches and 0.775 inches

#### **Body Thickness:**

0.315 inches

#### **Overall Thickness:**

Between 0.340 inches and 0.345 inches

#### **Terminal Diameter:**

Between 0.048 inches and 0.052 inches

#### Mode Of Oscillation:

Edge shear

#### Load Capacitance In Picofarads:

34.0

#### Shunt Capacitance In Picofarads:

7.0

#### **Specified Frequency:**

250.000 kilohertz

#### Frequency Tolerance At Reference Tempurature In Percent:

-0.020/+0.020

#### **Controlled Reference Temp:**

81.0 degrees celsius

#### **Operable Tempurature Range:**

-20.0/+150.0 degrees fahrenheit

#### Holder Cover Material:

Metal

## **Operating Tempurature Range:**

-22.0/+140.0 degrees fahrenheit

# Center To Center Distance Between Terminals:

0.468 inches

## **Drive Level Rating:**

2.0 milliwatts

# Frequency Tolerance For Operating Tempurature In Percent:

-0.020/+0.020

# Style Designator:

Oval body, pin terminals

## Shelf Life:

N/a

# NSN 5955-01-206-0537

Quartz Crystal Unit - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

Yes - demil/mli

Fiig:

A059a0

