Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-227-5177

**Overall Length:** 

0.530 inches

**Terminal Length:** 

0.500 inches

**Overall Width:** 

0.435 inches

Body Width:

0.402 inches

Body Thickness:

0.150 inches

Overall Thickness:

0.183 inches

Terminal Diameter:

Between 0.015 inches and

## Mode Of Oscillation:

Fifth overtone

**Circuit Resonance:** 

Series resonance

Shunt Capacitance In Picofarads:

4.0

Specified Frequency:

48.9875 megahertz

Holder Cover Material:

Metal

**Operating Tempurature Range:** 

-40.0/+95.0 degrees celsius

**Center To Center Distance Between Terminals:** 

0.184 mils and 0.200 centimeters

**Drive Level Rating:** 

Between 1.6 milliwatts and 2.4 milliwatts

Frequency Tolerance For Operating Tempurature In Percent:

-0.0025/+0.0025

**Equivalent Resistance Value In Ohms:** 

60.0

### Style Designator:

Oval body, wire leads

## **Test Data Document:**

81349-mil-c-3098 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

### Specification Data:

81349-mil-c-3098/80 government specification

Shelf Life:

# NSN 5955-01-227-5177

Quartz Crystal Unit - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

Yes - demil/mli

Fiig:

A059a0

