## NSN 5955-01-249-8034

Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-249-8034

Overall Length:

0.815 inches

0.515 inches

**Environmental Protection:** 

Moisture proof and shock resistant and vibration

**Vibration Resistance Range In Hertz:** 

+10.0/+2000.0

Overall Height: 0.373 inches Overall Width:

**Vibration Resistance Amplitude:** 

20.0 gravitational units

**Shock Resistance Rating In Gravitational Units:** 

1000.0

**Operating Tempurature Range:** 

+0.0/+70.0 degrees celsius

**Average Life Measurement:** 

Not rated

**Basic Shape Style:** 

Rectangular or square

Inclosure Type:

Hermetically sealed

**Operating Control Method:** 

Automatic

**Installation Design:** 

Module

**Control Type:** 

Remote

**Circuit Construction Type:** 

Solid state

**Frequency Per Channel:** 

8.0 megahertz operating channel

**Shock Pulse Duration Time:** 

0.35 milliseconds

**Connection Type And Location:** 

Pin bottom

**Connection Contact Type And Quantity:** 

4 pin external

**External Dc Operating Voltage In Volts:** 

4.5 single voltage and 5.5 single voltage

Shelf Life:

N/a

## NSN 5955-01-249-8034

Crystal Controlled Oscillator - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A32200