Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-257-7159

0	verall Length:
Be	tween 0.790 inches and 0.800 inches
0	verall Height:
0.3	365 inches
0	verall Width:
Be	etween 0.490 inches and 0.500 inches
Vi	bration Resistance Range In Hertz:
+1	0.0/+2000.0
Vi	bration Resistance Amplitude:
20	.0 gravitational units
Sł	ock Resistance Rating In Gravitational Units:
10	00.0
O	perating Tempurature Range:
+0	0.0/+70.0 degrees celsius
A١	verage Life Measurement:
No	ot rated
Ba	asic Shape Style:
Re	ectangular or square
In	closure Type:
He	ermetically sealed
O	perating Control Method:
Αι	Itomatic
In	stallation Design:
Mo	odule
Co	ontrol Type:
Re	emote
Ci	rcuit Construction Type:
Sc	lid state
Fr	equency Per Channel:
8.0	D megahertz operating channel
Sł	nock Pulse Duration Time:
0.3	35 milliseconds
Co	onnection Type And Location:
Pi	n bottom
Co	onnection Contact Type And Quantity:
4	pin external
Ex	ternal Dc Operating Voltage In Volts:
4.	5 single voltage and 5.5 single voltage
Sp	pecial Features:
Fr	equency stability of 0.002 percent
Sł	nelf Life:
N/	a

Crystal Controlled Oscillator - Page 2 of 2



Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A32200