## NSN 5955-01-258-3491

Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-258-3491 **Overall Length:** 0.820 inches **Overall Height:** 0.495 inches **Overall Width:** 0.520 inches **Environmental Protection:** Moisture proof **Operating Tempurature Range:** +0.0/+70.0 degrees celsius Storage Tempurature Range: -55.0/+125.0 degrees celsius **Average Life Measurement:** Not rated **End Application:** Los angeles class ssn (688), ticonderoga class cg (47), spruance class dd (963), nimitz class cvn. General purpose electronic test equipment (gpete). Mx peacekeeper missle support equipment. **Basic Shape Style:** Rectangular or square **Identification Designator:** Rasco-1-4mhz-04713 **Inclosure Type:** Encased **Operating Control Method:** Automatic Installation Design: Module **Control Type:** Remote **Circuit Construction Type:** Solid state Frequency Per Channel: 4.0 megahertz operating channel **Connection Type And Location:** Pin bottom **Connection Contact Type And Quantity:** 4 pin external **External Dc Operating Voltage In Volts:** 5.0 single voltage

Feat

**Special Features:** 

Weapon system essential

**Criticality Code Justification:** 

## NSN 5955-01-258-3491

Crystal Controlled Oscillator - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200