NSN 5955-01-261-8914

Quartz Crystal Unit - Page 1 of 2

Specification Data:

81349-mil-c-3098/76 government specification



View Online at https://aerobasegroup.com/nsn/5955-01-261-8914

Overall Length:					
1.937 inches					
Terminal Length:					
Between 0.625 inches and 0.655 inches					
Overall Width:					
1.170 inches					
Body Length:					
1.282 inches					
Body Width:					
1.125 inches					
Body Thickness:					
0.411 inches					
Overall Thickness:					
0.460 inches					
Terminal Diameter:					
Between 0.123 inches and 0.127 inches					
Mode Of Oscillation:					
Fundamental					
Circuit Resonance:					
Antiresonance					
Load Capacitance In Picofarads:					
Between 34.5 and 35.5					
Specified Frequency:					
6.940 megahertz					
Holder Cover Material:					
Metal					
Operating Tempurature Range:					
-55.0/+90.0 degrees celsius					
Center To Center Distance Between Terminals:					
0.490 mils and 0.510 centimeters					
Drive Level Rating:					
Between 27.0 milliwatts and 33.0 milliwatts					
Frequency Tolerance For Operating Tempurature In Percent:					
-0.005/+0.005					
Equivalent Resistance Value In Ohms:					
50.0					
Style Designator:					
Oval body, pin terminals					
Test Data Document:					
81349-milc3098 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;					
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental					
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).					

NSN 5955-01-261-8914

Quartz Crystal Unit - Page 2 of 2



_			-		
C	hο	14		.ife	
•			_	.II C	-

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A059a0