

View Online at <https://aerobasegroup.com/nsn/5955-01-264-2948>

Overall Length:

Between 0.790 inches and 0.800 inches

Overall Height:

0.365 inches

Overall Width:

Between 0.490 inches and 0.500 inches

Environmental Protection:

Moisture proof and shock resistant and vibration

Vibration Resistance Range In Hertz:

+10.0/+2000.0

Vibration Resistance Amplitude:

20.0 gravitational units

Shock Resistance Rating In Gravitational Units:

1000.0

Operating Temperature Range:

+0.0/+70.0 degrees celsius

Average Life Measurement:

Not rated

Basic Shape Style:

Rectangular or square

Identification Designator:

M1200-20mhz-08111

Inclosure Type:

Hermetically sealed

Operating Control Method:

Automatic

Installation Design:

Module

Control Type:

Remote

Circuit Construction Type:

Solid state

Frequency Per Channel:

20.0 megahertz operating channel

Shock Pulse Duration Time:

0.35 milliseconds

Connection Type And Location:

Pin bottom

Connection Contact Type And Quantity:

4 pin external

External Dc Operating Voltage In Volts:

4.5 single voltage and 5.5 single voltage

Special Features:

Freq stability porm 0.01 pct

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32200