NSN 5955-01-278-4599

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-278-4599

Overall Length:	
1.023 inches	
Terminal Length:	
Between 0.223 inches and 0.248 inches	
Overall Width:	
0.757 inches	
Body Length:	
0.775 inches	
Body Width:	
0.725 inches	
Body Thickness:	
0.317 inches	
Overall Thickness:	
0.352 inches	
Terminal Diameter:	
0.050 inches	
Mode Of Oscillation:	
Third overtone	
Circuit Resonance:	
Series resonance	
Shunt Capacitance In Picofarads:	
7.0	
Specified Frequency:	
40.844444 megahertz	
Frequency Stability In Percent:	
-0.00025/+0.00025	
Controlled Reference Temp:	
75.0 degrees celsius	
Operable Tempurature Range:	
-55.0/+90.0 degrees celsius	
Holder Cover Material:	
Metal	
Operating Tempurature Range:	
+70.0/+80.0 degrees celsius	
Center To Center Distance Between Terminals:	
0.478 mils and 0.494 centimeters	
Drive Level Rating:	
Between 0.8 milliwatts and 1.2 milliwatts	
Frequency Tolerance For Operating Tempurature In Percent:	:
-0.001/+0.001	
Equivalent Resistance Value In Ohms:	
40.0	

40.0

NSN 5955-01-278-4599

Quartz Crystal Unit - Page 2 of 2



Oval body, pin terminals

Test Data Document:

81349-mil-c-3098 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-c-3098/43 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A059a0