NSN 5955-01-285-9916

Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-285-9916 **Overall Length:** 0.810 inches **Overall Diameter:** 0.565 inches **Environmental Protection:** Moisture proof **Individual Section Quantity:** 2 **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Storage Tempurature Range:** -55.0/+150.0 degrees celsius **Average Life Measurement:** Not rated **Basic Shape Style:** Cylindrical **Identification Designator:** 0n363115-98230 **Inclosure Type:** Hermetically sealed **Operating Control Method:** Automatic Installation Design: Module **Control Type:** Remote **Circuit Construction Type:** Solid state Frequency Per Channel: 3.9998 megahertz 2nd output channel err-100 and 4.0002 megahertz 2nd output channel err-100 **Connection Type And Location:** Pin bottom **Connection Contact Type And Quantity:** 8 pin external **External Dc Operating Voltage In Volts:** 7.0 single voltage Shelf Life: N/a **Unit Of Measure:**

Demilitarization:

Yes - demil/mli

NSN 5955-01-285-9916

Crystal Controlled Oscillator - Page 2 of 2



Fiig:

A32200