Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-303-6118

Overall Length:
0.820 inches
Overall Height:
Between 0.475 inches and 0.515 inches
Overall Width:
0.520 inches
Environmental Protection:
Moisture proof and shock resistant and vibration
Operating Tempurature Range:
-40.0/+85.0 degrees celsius
Storage Tempurature Range:
-55.0/+125.0 degrees celsius
Average Life Measurement:
Not rated
End Application:
5815-01-211-4122 terminal, communications
Basic Shape Style:
Rectangular or square
Inclosure Type:
Hermetically sealed
Operating Control Method:
Automatic
Installation Design:
Module
Control Type:
Remote
Circuit Construction Type:
Solid state
Frequency Per Channel:
8.0 megahertz operating channel
Connection Type And Location:
Pin bottom
Connection Contact Type And Quantity:
4 pin external
External Dc Operating Voltage In Volts:
4.5 single voltage and 5.5 single voltage
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

Yes - demil/mli

## NSN 5955-01-303-6118

Crystal Controlled Oscillator - Page 2 of 2

**Fiig:** A32200

