## NSN 5955-01-306-9391

Quartz Crystal Unit - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-306-9391

| Overall Length:   |
|---|
| 1.015 inches  |
| Terminal Length:  |
| 0.235 inches  |
| Overall Width:  |
| 0.775 inches  |
| Body Length:  |
| 0.605 inches  |
| Body Width:   |
| 0.696 inches  |
| Body Thickness:   |
| 0.250 inches  |
| Overall Thickness:  |
| 0.365 inches  |
| Terminal Diameter:  |
| 0.050 inches  |
| Mode Of Oscillation:                                      |
| Fundamental   |
| Circuit Resonance:  |
| Antiresonance   |
| Load Capacitance In Picofarads:                           |
| 32.0  |
| Shunt Capacitance In Picofarads:                          |
| 5.0   |
| Specified Frequency:                                      |
| 11.595 megahertz  |
| Holder Cover Material:                                    |
| Glass   |
| Operating Tempurature Range:                              |
| +0.0/+60.0 degrees celsius                                |
| Center To Center Distance Between Terminals:              |
| 0.486 inches  |
| Drive Level Rating:                                       |
| 250.0 microwatts  |
| Frequency Tolerance For Operating Tempurature In Percent: |
| -15.000/+15.000   |
| Equivalent Resistance Value In Ohms:                      |
| 12.0  |
| Style Designator:   |
| Oval body, pin terminals                                  |
| Shelf Life:   |
| N/a   |

## NSN 5955-01-306-9391

Quartz Crystal Unit - Page 2 of 2



**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A059a0