---

Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-307-3477

Overall	Length:
2.660 ir	nches
Overall	Height:
0.570 ir	nches
Overall	Width:
2.000 ir	nches
Enviro	nmental Protection:
Moistur	e proof
Individ	ual Section Quantity:
2	
Operat	ing Tempurature Range:
-55.0/+	71.0 degrees celsius
Averag	e Life Measurement:
Not rate	ed
Basic S	Shape Style:
Rectan	gular or square
Identifi	cation Designator:
A-1619	01-6-94987
Inclosu	ие Туре:
Encase	d
Operat	ing Control Method:
Manual	
Installa	tion Design:
Mechar	nical
Contro	I Туре:
Local	
Circuit	Construction Type:
Solid st	ate
Freque	ncy Per Channel:
47.043	959 megahertz operating channel err-100
Conne	ction Type And Location:
Termina	al stud bottom and receptacle, coaxial left side
Conne	ction Contact Type And Quantity:
1 recep	tacle, coaxial external and 3 terminal stud external
Externa	al Dc Operating Voltage In Volts:
14.75 క	single voltage and 15.25 single voltage
Specifi	cation Data:
94987-a	a-161901 manufacturers source control
Shelf L	ife:
N/a	
	Measure:

Crystal Controlled Oscillator - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A32200