NSN 5955-01-317-7728

Quartz Crystal Unit - Page 1 of 2

Oval body, wire leads



View Online at https://aerobasegroup.com/nsn/5955-01-317-7728

Overall Length:	
0.530 inches	
Terminal Length:	
0.750 inches	
Overall Width:	
0.435 inches	
Body Width:	
0.402 inches	
Body Thickness:	
0.165 inches	
Overall Thickness:	
0.183 inches	
Terminal Diameter:	
Between 0.016 inches and 0.019 inches	
Mode Of Oscillation:	
Fundamental	
Circuit Resonance:	
Antiresonance	
Load Capacitance In Picofarads:	
Between 20.0 and 30.0	
Specified Frequency:	
12.000 megahertz	
Holder Cover Material:	
Metal	
Operating Tempurature Range:	
-55.0/+105.0 degrees celsius	
End Application:	
Nuclear power plants	
Center To Center Distance Between Terminals:	
0.184 mils and 0.200 centimeters	
Drive Level Rating:	
2.0 milliwatts	
Frequency Tolerance For Operating Tempurature In Percent:	
-0.005/+0.005	
Equivalent Resistance Value In Ohms:	
250.0	
Criticality Code Justification:	
Feat	
Special Features:	
Item must comply with requirements of desc production standard no. L04221; for navy nuclear propulsion plant products only; weapon	
system essential	
Style Designator:	

NSN 5955-01-317-7728

Quartz Crystal Unit - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A059a0