Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-321-1928

Overall Length:		
0.800 inches		
Overall Height:		
0.375 inches		
Overall Width:		
0.500 inches		
Environmental Protection:		
Moisture proof		
Operating Tempurature Range:		
+0.0/+70.0 degrees celsius		
Average Life Measurement:		
Not rated		
End Application:		
4920-01-199-4038 test support system		
Basic Shape Style:		
Rectangular or square		
Identification Designator:		
Co-238t-3-1mhz-27802		
Inclosure Type:		
Encased		
Operating Control Method:		
Automatic		
Installation Design:		
Module		
Control Type:		
Remote		
Circuit Construction Type:		
Solid state		
Frequency Per Channel:		
1.0 megahertz operating channel		
Connection Type And Location:		
Err-060 glad hand quick disconnect		
Connection Contact Type And Quantity:		
14 liters of liquid nitrogen drain		
External Dc Operating Voltage In Volts:		
4.5 single voltage and 5.5 single voltage		
Shelf Life:		
N/a		
Unit Of Measure:		
Demilitarization:		
Yes - demil/mli		

NSN 5955-01-321-1928

Crystal Controlled Oscillator - Page 2 of 2

Fiig: A32200

