## NSN 5955-01-326-0056

View Online at https://aerobasegroup.com/nsn/5955-01-326-0056

Quartz Crystal Unit - Page 1 of 2



**Overall Length:** 0.265 inches **Terminal Length:** 0.610 inches Diameter: 0.335 inches **Overall Diameter:** 0.408 inches **Terminal Diameter:** 0.018 inches **Mode Of Oscillation:** Third overtone and fifth overtone **Circuit Resonance:** Series resonance **Shunt Capacitance In Picofarads: Specified Frequency:** 112.1875 megahertz **Holder Cover Material:** Metal **Operating Tempurature Range:** -50.0/+70.0 degrees celsius **End Application:** Receiver-exciter group or-256/tpq-37 **Center To Center Distance Between Terminals:** 0.200 inches **Drive Level Rating:** 1.0 milliwatts **Frequency Tolerance For Operating Tempurature In Percent:** -0.045/+0.045 **Equivalent Resistance Value In Ohms:** Between 40.0 and 70.0 **Test Data Document:** 05869-712757 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life: N/a

Unit Of Measure:

**Specification Data:** 

05869-712757 manufacturers specification control

--

Demilitarization:

Yes - demil/mli

## NSN 5955-01-326-0056

Quartz Crystal Unit - Page 2 of 2



Fiig:

A059a0