Crystal Controlled Oscillator - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5955-01-331-7095

Overall Length:
0.890 inches
Overall Height:
0.530 inches
Overall Width:
0.520 inches
Environmental Protection:
Moisture proof
Operating Tempurature Range:
+0.0/+50.0 degrees celsius
Storage Tempurature Range:
-62.0/+71.0 degrees celsius
Average Life Measurement:
Not rated
End Application:
Receiver-recorder set an/smq-11
Basic Shape Style:
Rectangular or square
Identification Designator:
1217as776-1-30003
Inclosure Type:
Encased
Operating Control Method:
Automatic
Installation Design:
Module
Control Type:
Remote
Circuit Construction Type:
Solid state
Frequency Per Channel:
4.1943 megahertz operating channel
Impedance Rating Per Channel:
400.000 ohms output channel
Connection Type And Location:
Pin bottom
Connection Contact Type And Quantity:
14 pin external
External Dc Operating Voltage In Volts:
4.75 single voltage and 5.25 single voltage
Shelf Life:
N/a

Crystal Controlled Oscillator - Page 2 of 2



Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A32200